

WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIplex FARMS DRIVE
MEMPHIS, TN. 38141

PHONE: 901-366-5767 * FAX: 901-366-0093
www.itswec.com





NOTE: All-Welded, Angle Iron, ProTough, Stadium and Patriot lockers not shown

WEC


WHOLESALE EQUIPMENT COMPANY

5355 DISTRIplex FARMS DRIVE
MEMPHIS, TN. 38141

PHONE: 901-366-5767 * FAX: 901-366-0093
www.itswec.com



Die-Cast Handle. This patented die-cast handle opens multi-point latch lockers with one simple motion. Standard on 1, 2 & 3 tier, 2-Person and Duplex Vanguard lockers.



Automatic Multi-Point Latching. Allows the door to be closed without locking. Standard on all multi-point doors except box lockers, Single Point Latch doors and Cremone Handle lockers.




Classic III Stainless Steel Recessed Handle. Seamless deep drawn design is attractive as well as strong. Utilizes the Automatic Multi-Point Latching feature.



Standard on all 1, 2 & 3 tier 2-Person and Duplex, Vanguard Recessed, Guardian & Guardian PLUS lockers. Also standard on Invincible II, All-Welded and ProTough 1, 2 and 3 tier lockers. This is the preferred handle for ADA lockers.



Defiant II Single Point Latch. Stainless steel deep drawn pocket with no moving parts (single point latch). Used with a vertical or horizontal pan welded to door. Standard on 1, 2 and 3 tier Defiant II Locker models.




Anti Pry Lug. Defeats prying attempts by capturing the door flange and preventing separation from the door channel.

Details and specifications on page 46.




Friction Catch Door Pull. All box lockers come standard with this friction catch door pull handle with padlock hasp.





Spring Loaded Positive Latch. This latch, also known as a "Slam Latch", is available as an option on heavy duty box lockers.



SmartLocker. Electronically operated lockers are opened with a magnetic card or proximity credential.



Cremone Multi-Point Handle. An unbreakable steel handle securely bolted to a 3 point latching system. 3/8" latching rod engages on top and bottom of door frame. 1/8" thick center latch locks center of door to frame. Available on 1 and 2 tier Angle Iron, ProTough and Patriot Gear Lockers.



3 views shown: top, middle and bottom of door.


WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIplex FARMS DRIVE
MEMPHIS, TN. 38141

PHONE: 901-366-5767 * FAX: 901-366-0093
www.itswec.com

The illustration below shows several locker groups with frequently ordered accessories.



Key for Illustration

- A. Slope Hood
- B. Universal Rear Hood Support
- C. Slope End for Hood L.H. (Left Hand)
- D. Single Tier Invincible
- E. 6 Tier Box Locker w/Visual Doors
- F. 6 Tier Box Locker w/Std. Louvers
- G. End Base, 6" High
- H. Front Base, 6" High
- I. Two Person Guardian

- J. Single Tier Guardian
- K. Side Recess Trim
- L. Top Recess Trim
- M. Wall Angle Slip Joint
- N. Vertical Filler
- O. Filler, Slope Top
- P. Single Tier Vanguard
- Q. Double Tier Vanguard
- R. Three Tier Vanguard
- S. Four Tier Vanguard

- T. Slope Top, Unit Construction
- U. Slope Top Division (Side)
- V. Finished End Panel (Right Hand)
- W. Heavy Duty Bench Pedestal
- X. Stainless Steel Bench Pedestal
- Y. Hardwood Bench
- Z1. Zee Base, 4" high
- Z2. Zee End Base/Splice
- Z3. Zee Corner Splice

WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIplex FARMS DRIVE
MEMPHIS, TN. 38141

PHONE: 901-366-5767 * FAX: 901-366-0093
www.itswec.com

Typical Installation

