

# WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIPLEX FARMS DRIVE  
MEMPHIS, TN. 38141  
PHONE: 901.366.5767 FAX: 901.366.0093  
<http://www.itswec.com>

## Q Line Packaged Shelving

*Q Line Shelving is designed for those storage applications that demand strength and versatility. Q Line's exclusive Box Beam construction and heavy reinforced steel shelves offer increased load bearing capacity for your heaviest storage needs. Designed to handle up to 750 pounds, Q Line Packaged shelving is available in popular standard configurations.*



### Heavy Duty

Shelf corners are fully lapped and welded for extra strength and durability.

### Adjustable

Shelves can be adjusted quickly and easily in 1" increments.

### Standard Configurations for Easy Ordering

Simply order a shelf kit consisting of six shelves in any one of four depths; then add a universal post and brace kit. Nothing could be easier!

## Superior Strength

Q Line shelves use a structural box formation on the front and rear flanges. The face of the box is ribbed and the flange is welded every three inches. The shelf ends have three bends (competing shelves use only two) for added front to back strength. The net result is the strongest shelf in its class, with a load capacity up to 750 pounds!



## Boltless Shelf Installation

Compression clips make adding shelves a snap. Just clip on. No bolts or tools required.



# WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIplex FARMS DRIVE  
MEMPHIS, TN. 38141  
PHONE: 901.366.5767 FAX: 901.366.0093  
<http://www.itswec.com>

## Q Line Shelving

### *The Workhorse*

*Q Line Shelving is an affordable, versatile system of open, closed and bin style units that has proven its utility over the years. Its solid steel construction features shelves (available in 22, 20 and reinforced 20 gauge steel) with load-bearing capacity up to 1,000 pounds; the ability to adjust shelves on 1" centers; and units available in three standard widths, five depths and ten heights. A large variety of accessories and options can be incorporated to suit your office, warehouse or factory requirements and you'll understand why Tennisco's Q Line is the workhorse of shelving in the industry.*



### Three Post Styles To Fit Your Exact Needs



#### **Offset Angle Posts**

Use for stand-alone units or as rear posts in conjunction with beaded style posts in front.

#### **Standard Beaded Posts**

Use as a common front post on long runs of shelving. Narrow profile offers unobstructed shelf access.

#### **Heavy Beaded Posts**

Use for heavier load situations as a common front post on long runs of shelving. Narrow profile offers unobstructed shelf access.


*All post are made of 14-gauge rolled steel.*


# WEC


WHOLESALE EQUIPMENT COMPANY


5355 DISTRIPLEX FARMS DRIVE  
MEMPHIS, TN. 38141  
PHONE: 901.366.5767 FAX: 901.366.0093  
<http://www.itswec.com>





**1 Heavy Duty Shelves**  
  
Shelf corners are fully lapped and welded for extra strength. Combined with sides that incorporate triple-bend construction, shelves can support up to 1,000 pounds.


**2 Label Holders**  
  
Accommodates shelf labels to easily locate and identify stored items.

**3 Easy Adjust/Align**  
  
Shelves can be adjusted quickly and easily in 1" increments to make maximum use of vertical space. Upright posts feature a square hole every third hole for easy shelf alignment.

**4 Back and Side Panels**  
  
Prevents materials from falling off, as well as protecting items from dust and contaminants.

**5 Sliding Dividers**  
  
Can be placed anywhere on a shelf instantly. Built-in label holder for additional parts identification.

**6 Perforated Shelf**  
  
Helps to meet fire codes when storing flammables by allowing water from overhead sprinklers to reach all levels of the unit.

**7 Open Style Shelving**  
  
Great for storing packaged items, containers and tools. Allows easy access to items.

# WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIPLEX FARMS DRIVE  
MEMPHIS, TN. 38141  
PHONE: 901.366.5767 FAX: 901.366.0093  
<http://www.itswec.com>

## 8 Closed Style Shelving



Closed style shelving helps prevent items from accidentally falling off the shelves. Ideal for storing small or fragile loose items.

## 9 Mezzanine Capabilities



Units can be configured into multi-level applications.

## Open Starter Unit



Start a row with an Open Starter Unit. Open units offer 360° view of contents.

## Open Add-On Unit



Add an Open Add-On Unit to an Open Starter Unit to meet your specific storage needs.

## Easy Shelf Expansion



Shared post makes for easy expandability.

# WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIPLEX FARMS DRIVE  
MEMPHIS, TN. 38141  
PHONE: 901.366.5767 FAX: 901.366.0093  
<http://www.itswec.com>


## Q-Line Industrial Shelving: Pre-configured Units

Q-Line Open Style Pre-Configured Units are designed for those storage applications that demand strength and versatility. Open Style units are perfect for storing packaged items, containers and tools. Open Style units with box beam construction offer load-bearing capacities up to 750 lbs. per shelf on 22-gauge shelves and up to 1,000 lbs. on 20-gauge shelves. Select from a variety of additional components (pages 28 and 29) for a system that meets your specific needs.

### Please Note

Standard Colors: Light Grey,  
Medium Grey, Sand  
QuickShip Color: Medium Grey

### Q-Line Open Style Starter Units




Starter Units

- Assembly required.

Cat No.	W	D	H	WT.
<b>20 Gauge 5 Shelves</b>				
QOH5-3612S	36	12	87	69
QOH5-3618S	36	18	87	81
QOH5-3624S	36	24	87	94
QOH5-4812S	48	12	87	81
QOH5-4818S	48	18	87	97
QOH5-4824S	48	24	87	113
<b>20 Gauge 6 Shelves</b>				
QOH6-3612S	36	12	87	77
QOH6-3618S	36	18	87	92
QOH6-3624S	36	24	87	107
QOH6-4812S	48	12	87	92
QOH6-4818S	48	18	87	111
QOH6-4824S	48	24	87	130
<b>20 Gauge 7 Shelves</b>				
QOH7-3612S	36	12	87	85
QOH7-3618S	36	18	87	102
QOH7-3624S	36	24	87	120
QOH7-4812S	48	12	87	102
QOH7-4818S	48	18	87	125
QOH7-4824S	48	24	87	147
<b>20 Gauge 8 Shelves</b>				
QOH8-3612S	36	12	87	93
QOH8-3618S	36	18	87	113
QOH8-3624S	36	24	87	133
QOH8-4812S	48	12	87	113
QOH8-4818S	48	18	87	138
QOH8-4824S	48	24	87	164

Note: Starter Units include: 4 off-set angle posts, 2 side braces, 1 back brace and shelves.

### Q-Line Open Style Adder Units



Adder Units

- Assembly required.

Cat No.	W	D	H	WT.
<b>20 Gauge 5 Shelves</b>				
QOH5-3612AB	36	12	87	62
QOH5-3618AB	36	18	87	75
QOH5-3624AB	36	24	87	87
QOH5-4812AB	48	12	87	75
QOH5-4818AB	48	18	87	91
QOH5-4824AB	48	24	87	107
<b>20 Gauge 6 Shelves</b>				
QOH6-3612AB	36	12	87	70
QOH6-3618AB	36	18	87	85
QOH6-3624AB	36	24	87	100
QOH6-4812AB	48	12	87	85
QOH6-4818AB	48	18	87	104
QOH6-4824AB	48	24	87	123
<b>20 Gauge 7 Shelves</b>				
QOH7-3612AB	36	12	87	78
QOH7-3618AB	36	18	87	96
QOH7-3624AB	36	24	87	113
QOH7-4812AB	48	12	87	95
QOH7-4818AB	48	18	87	118
QOH7-4824AB	48	24	87	140
<b>20 Gauge 8 Shelves</b>				
QOH8-3612AB	36	12	87	86
QOH8-3618AB	36	18	87	106
QOH8-3624AB	36	24	87	123
QOH8-4812AB	48	12	87	106
QOH8-4818AB	48	18	87	131
QOH8-4824AB	48	24	87	157

Note: Adder Units include: 2 off-set angle posts, 1 beaded post, 1 side brace, 1 back brace and shelves.

- Assembly required.

Cat No.	W	D	H	WT.
<b>22 Gauge 5 Shelves</b>				
QO5-3612S	36	12	87	62
QO5-3618S	36	18	87	73
QO5-3624S	36	24	87	83
QO5-4812S	48	12	87	73
QO5-4818S	48	18	87	86
QO5-4824S	48	24	87	100
<b>22 Gauge 6 Shelves</b>				
QO6-3612S	36	12	87	69
QO6-3618S	36	18	87	82
QO6-3624S	36	24	87	94
QO6-4812S	48	12	87	82
QO6-4818S	48	18	87	98
QO6-4824S	48	24	87	114
<b>22 Gauge 7 Shelves</b>				
QO7-3612S	36	12	87	76
QO7-3618S	36	18	87	91
QO7-3624S	36	24	87	105
QO7-4812S	48	12	87	90
QO7-4818S	48	18	87	109
QO7-4824S	48	24	87	128
<b>22 Gauge 8 Shelves</b>				
QO8-3612S	36	12	87	83
QO8-3618S	36	18	87	99
QO8-3624S	36	24	87	116
QO8-4812S	48	12	87	99
QO8-4818S	48	18	87	121
QO8-4824S	48	24	87	142

- Assembly required.

Request Quote

# WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIPLEX FARMS DRIVE  
MEMPHIS, TN. 38141  
PHONE: 901.366.5767 FAX: 901.366.0093  
<http://www.itswec.com>

## Q-Line Industrial Shelving: Pre-configured Units

**Please Note**  
Standard Colors: Light Grey,  
Medium Grey, Sand  
QuickShip Color: Medium Grey

Q-Line Closed Style Pre-Configured Units are designed to store small or fragile items that need to be protected. Closed Style units utilize steel back and side panels to help prevent items from accidentally falling off. Heavy-duty shelves with box beam construction offer load-bearing capacities up to 750 lbs. per shelf on 22-gauge shelves and up to 1,000 lbs. on 20-gauge shelves.

### Q-Line Closed Style Starter Units




Starter Units

Cat No.	W	D	H	WL
<b>20 Gauge 5 Shelves</b>				
QCH5-3612S	36	12	87	95
QCH5-3618S	36	18	87	116
QCH5-3624S	36	24	87	135
QCH5-4812S	48	12	87	116
QCH5-4818S	48	18	87	140
QCH5-4824S	48	24	87	163
<b>20 Gauge 6 Shelves</b>				
QCH6-3612S	36	12	87	103
QCH6-3618S	36	18	87	126
QCH6-3624S	36	24	87	148
QCH6-4812S	48	12	87	127
QCH6-4818S	48	18	87	154
QCH6-4824S	48	24	87	180
<b>20 Gauge 7 Shelves</b>				
QCH7-3612S	36	12	87	111
QCH7-3618S	36	18	87	137
QCH7-3624S	36	24	87	161
QCH7-4812S	48	12	87	137
QCH7-4818S	48	18	87	167
QCH7-4824S	48	24	87	197
<b>20 Gauge 8 Shelves</b>				
QCH8-3612S	36	12	87	119
QCH8-3618S	36	18	87	147
QCH8-3624S	36	24	87	174
QCH8-4812S	48	12	87	147
QCH8-4818S	48	18	87	181
QCH8-4824S	48	24	87	214

Note: Starter Units include: 4 off-set angle posts, 2 sides, 1 back and shelves.

Cat No.	W	D	H	WL
<b>22 Gauge 5 Shelves</b>				
QC5-3612S	36	12	87	89
QC5-3618S	36	18	87	107
QC5-3624S	36	24	87	125
QC5-4812S	48	12	87	108
QC5-4818S	48	18	87	129
QC5-4824S	48	24	87	150
<b>22 Gauge 6 Shelves</b>				
QC6-3612S	36	12	87	95
QC6-3618S	36	18	87	116
QC6-3624S	36	24	87	136
QC6-4812S	48	12	87	116
QC6-4818S	48	18	87	141
QC6-4824S	48	24	87	164
<b>22 Gauge 7 Shelves</b>				
QC7-3612S	36	12	87	102
QC7-3618S	36	18	87	125
QC7-3624S	36	24	87	147
QC7-4812S	48	12	87	125
QC7-4818S	48	18	87	152
QC7-4824S	48	24	87	178
<b>22 Gauge 8 Shelves</b>				
QC8-3612S	36	12	87	109
QC8-3618S	36	18	87	134
QC8-3624S	36	24	87	158
QC8-4812S	48	12	87	134
QC8-4818S	48	18	87	163
QC8-4824S	48	24	87	192

### Q-Line Closed Style Adder Units



Adder Units

Cat No.	W	D	H	WL
<b>20 Gauge 5 Shelves</b>				
QCH5-3612AB	36	12	87	85
QCH5-3618AB	36	18	87	101
QCH5-3624AB	36	24	87	117
QCH5-4812AB	48	12	87	106
QCH5-4818AB	48	18	87	126
QCH5-4824AB	48	24	87	145
<b>20 Gauge 6 Shelves</b>				
QCH6-3612AB	36	12	87	93
QCH6-3618AB	36	18	87	112
QCH6-3624AB	36	24	87	130
QCH6-4812AB	48	12	87	116
QCH6-4818AB	48	18	87	139
QCH6-4824AB	48	24	87	162
<b>20 Gauge 7 Shelves</b>				
QCH7-3612AB	36	12	87	101
QCH7-3618AB	36	18	87	122
QCH7-3624AB	36	24	87	143
QCH7-4812AB	48	12	87	127
QCH7-4818AB	48	18	87	153
QCH7-4824AB	48	24	87	179
<b>20 Gauge 8 Shelves</b>				
QCH8-3612AB	36	12	87	106
QCH8-3618AB	36	18	87	133
QCH8-3624AB	36	24	87	156
QCH8-4812AB	48	12	87	137
QCH8-4818AB	48	18	87	167
QCH8-4824AB	48	24	87	196

Note: Adder Units include: 2 off-set angle posts, 1 beaded post, 1 side, 1 back and shelves.

Cat No.	W	D	H	WL
<b>22 Gauge 5 Shelves</b>				
QC5-3612AB	36	12	87	78
QC5-3618AB	36	18	87	93
QC5-3624AB	36	24	87	107
QC5-4812AB	48	12	87	97
QC5-4818AB	48	18	87	115
QC5-4824AB	48	24	87	132
<b>22 Gauge 6 Shelves</b>				
QC6-3612AB	36	12	87	85
QC6-3618AB	36	18	87	102
QC6-3624AB	36	24	87	118
QC6-4812AB	48	12	87	106
QC6-4818AB	48	18	87	126
QC6-4824AB	48	24	87	146
<b>22 Gauge 7 Shelves</b>				
QC7-3612AB	36	12	87	92
QC7-3618AB	36	18	87	110
QC7-3624AB	36	24	87	129
QC7-4812AB	48	12	87	115
QC7-4818AB	48	18	87	138
QC7-4824AB	48	24	87	160
<b>22 Gauge 8 Shelves</b>				
QC8-3612AB	36	12	87	98
QC8-3618AB	36	18	87	119
QC8-3624AB	36	24	87	140
QC8-4812AB	48	12	87	123
QC8-4818AB	48	18	87	149
QC8-4824AB	48	24	87	174

Request Quote

