

WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIplex FARMS DRIVE
MEMPHIS, TN. 38141
PHONE: 901.366.5767 FAX: 901.366.0093
<http://www.itswec.com>

Z-Line Shelving

Easy Assembly

Two way keyhole slots and snap-in rivet design make installation a snap. No clips, sway braces, corner gussets or additional hardware needed.

Structural Integrity

Positive rivet connection combines with 14 gauge angle post to make a rigid framework ideal for mezzanine or high density mobile shelving.

Tall, Upright Posts

Upright posts are available in lengths up to 181½".

Long Spans

Configure units up to 96" wide by 60" deep with Z-Line's channel beams.

Added Reinforcement

Handle extra heavy loads with extra center support.

Flexible Design

Shelves adjust in 1½" increments for optimum flexibility.

Low Profile Shelf Support

Maximize shelf openings with thin but strong shelf supports.

VDRS Shelf Support


Maximize shelf openings with thin but strong shelf supports.

Strength Without Compromise

Standard 14 gauge double rivet beam has 2¼" profile and handles loads up to 2000 lbs. Or choose our optional 3¼" profile channel beam for even greater load capacity.

Strong, Economical Shelves

Industrial grade particle board shelves hold up to the toughest applications — at an affordable price.



WEC

WHOLESALE EQUIPMENT COMPANY


5355 DISTRIplex FARMS DRIVE
MEMPHIS, TN. 38141
PHONE: 901.366.5767 FAX: 901.366.0093
<http://www.itswec.com>

Z-Line Shelving

When it comes to value without compromising performance, you're talking about Z-Line shelving. Its fastening mechanism combined with a versatile array of components means it fits all your storage needs. The interlocking keyhole design not only makes installation fast and easy but eliminates the need for clips, gussets, sway braces or other hardware necessary with conventional shelving. Without these obstacles you have completely free access from all sides of the unit.

Z-Line's adaptability makes it ideal for any size storage requirement. Its interchangeable componentry means it can be configured for single width shelving applications or spans up to 96" wide. It's a multifaceted system that affordably solves all your storage needs.

Exceptional Strength



Double rivet design and keyhole slots form a rigid framework. Combine heavy gauge steel posts, shelf supports and angle beams and you have a shelving system that easily stands up to any industrial application.

Easy Assembly



Assembly goes smoothly and quickly with Z-Line's snap-in rivet and keyhole design that eliminates the need for fasteners or braces.

Unobstructed Accessibility



Because the Z-Line design eliminates structural bracing, items can be loaded and unloaded from either the side, front or back of the unit for maximum versatility.

The Universal Storage Solution



Standardize your storage solutions throughout your organization by using Z-Line's interchangeable components for either your heavy-duty applications or where total weight requirements are not as demanding.

WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIPLEX FARMS DRIVE
MEMPHIS, TN. 38141
PHONE: 901.366.5767 FAX: 901.366.0093
<http://www.itswec.com>

Z-Line Shelving

Low Profile Shelving Unit



Tennsco Low Profile Shelving Units are your solution when you need to maximize vertical storage space and need unobstructed access to stored items. The specially designed shelf supports with particle board are only 1 1/8" tall yet handle load capacities from 600-800 lbs depending upon the steel-gauge and shelf size you select. Widths available up to 48".

Medium Profile Shelving Unit

Tennsco Medium Profile Shelving Units incorporate a special 2 1/4" high v-beam design offering heavy-duty support at an economical price. With the added load capacity you'll find hundreds of uses in your factory or warehouse. Shelf supports are available in either 16 or 14 gauge steel to handle shelf load capacities ranging from 600 to 1,000 lbs. depending upon the gauge and shelf size selected. Widths available up to 72".



WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIPLEX FARMS DRIVE
MEMPHIS, TN. 38141
PHONE: 901.366.5767 FAX: 901.366.0093
<http://www.itswec.com>

Z-Line Shelving

Wide Profile Shelving Unit

The 2 $\frac{3}{4}$ " high steel beam of Tennsco's Wide Profile Shelving Unit supports applications where decking is used over longer spans. Whether your application involves wire decking or particle board, Wide Profile Shelving Units can handle your most demanding storage need. Weight capacities range from 1,250 lbs. to 2,500 lbs. depending upon shelf size. Widths available up to 96".



Channel Beam Shelving Unit



Tennsco Channel Beam Shelving Units are your answer to industrial strength storage applications. The 3 $\frac{1}{4}$ " high steel channel beam offers maximum strength for shelf spans of 48" and longer. Load capacities range from 1,600 lbs. to 2,500 lbs., depending upon shelf size. Widths available up to 96".

WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIPLEX FARMS DRIVE
MEMPHIS, TN. 38141
PHONE: 901.366.5767 FAX: 901.366.0093
<http://www.itswec.com>

Z-Line Versatility

Versatile Storage Options




Adjustable shelves and easy to assemble modular design allows you the flexibility to configure Z-Line shelving to meet your storage requirements.

Sloping Shelves



Stores items at an angle for easier viewing and retrieval of products on display.

Tire Rack



Conveniently stores tires for easy access and display. Vertical storage allows for maximization of available floor space. Available in a single or double entry unit.

Archive & Box Storage



Z-Line is ideal for handling archived office materials like accounting records, computer printouts, etc. Use standard particleboard shelves, or choose angle box supports (shown above).

WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIPLEX FARMS DRIVE
MEMPHIS, TN. 38141
PHONE: 901.366.5767 FAX: 901.366.0093
<http://www.itswec.com>


Z-Line Versatility

Handles Your Toughest Loads



Unlike other shelving offerings, Z-Line is designed to handle loads up to 2,500 lbs. per shelf. Plus it takes the tough handling found in warehouses or industrial storage areas.

Enclosed Storage



Steel sides, backs and locking doors secure your stored items while keeping contaminants, dust, etc. out.

Retail Storage & Display



Z-Line is one of the most flexible and affordable shelving systems available. Use your imagination in creating not only customized storage but also work stations, equipment stands, shipping stations, cutting tables, tire racks, hang racks and more.

WEC

WHOLESALE EQUIPMENT COMPANY

5355 DISTRIPLEX FARMS DRIVE
MEMPHIS, TN. 38141
PHONE: 901.366.5767 FAX: 901.366.0093
<http://www.itswec.com>

Z-Line Shelving/Low Profile

When it comes to value without compromising performance, you're talking about Z-Line. Its versatile array of components means it fits all your storage needs. Combine an interlocking keyhole design for fast, boltless installation without clips, gussets or sway bars and you've got a shelving system designed for your specific needs. Z-Line Low Profile Shelving maximizes shelf openings in light to medium duty support applications.

Please Note

Standard Colors: Light Grey,
Medium Grey, Sand

QuickShip Colors: Medium Grey
and Sand



Starter Unit



Add-on Unit

NOTE: Products are shown with one additional shelf level.

Low Profile Shelving With Particle Board Shelving

- Assembly required.

Unit Size			Cap.	Starter Units	
W	D	H		Cat. No.	Wt.
36	12	84	600	ZA7-3612S-4D	63
36	18	84	600	ZA7-3618S-4D	80
36	24	84	600	ZA7-3624S-4D	97
36	36	84	600	ZA7-3636S-4D	132
42	12	84	550	ZA7-4212S-4D	71
42	18	84	550	ZA7-4218S-4D	90
42	24	84	550	ZA7-4224S-4D	109
42	36	84	550	ZA7-4236S-4D	150
48	12	84	500	ZA7-4812S-4D	78
48	18	84	500	ZA7-4818S-4D	100
48	24	84	500	ZA7-4824S-4D	121
48	36	84	500	ZA7-4836S-4D	169

Z-Line Add-On Shelving

Adder Units	
Cat. No.	Wt.
ZA7-3612A-4D	62
ZA7-3618A-4D	78
ZA7-3624A-4D	94
ZA7-3636A-4D	132
ZA7-4212A-4D	69
ZA7-4218A-4D	88
ZA7-4224A-4D	106
ZA7-4236A-4D	151
ZA7-4812A-4D	77
ZA7-4818A-4D	98
ZA7-4824A-4D	118
ZA7-4836A-4D	169

Extra Shelf Levels	
Cat. No.	Wt.
ZAES-3612D	10.8
ZAES-3618D	14.5
ZAES-3624D	18.3
ZAES-3636D	29
ZAES-4212D	12.7
ZAES-4218D	17
ZAES-4224D	21
ZAES-4236D	33
ZAES-4812D	14.5
ZAES-4818D	19.5
ZAES-4824D	24
ZAES-4836D	38

Starter units use four EUR uprights and 6 DRS end supports; adder units use two ZTP uprights and three DRS end supporters. Shelves are supported, on front and rear only, by low profile shelf supports (DRS-ww14). 36" deep shelves are supported on all four sides.

Low Profile Shelving Without Decking

- Assembly required.

Unit Size			Cap.	Starter Units	
W	D	H		Cat. No.	Wt.
36	12	84	600	ZA7-3612S-4	33
36	18	84	600	ZA7-3618S-4	36
36	24	84	600	ZA7-3624S-4	37
36	36	84	600	ZA7-3636S-4	44
42	12	84	550	ZA7-4212S-4	36
42	18	84	550	ZA7-4218S-4	38
42	24	84	550	ZA7-4224S-4	39
42	36	84	550	ZA7-4236S-4	46
48	12	84	500	ZA7-4812S-4	38
48	18	84	500	ZA7-4818S-4	41
48	24	84	500	ZA7-4824S-4	42
48	36	84	500	ZA7-4836S-4	49

Adder Units	
Cat. No.	Wt.
ZA7-3612A-4	32
ZA7-3618A-4	33
ZA7-3624A-4	34
ZA7-3636A-4	44
ZA7-4212A-4	35
ZA7-4218A-4	36
ZA7-4224A-4	36
ZA7-4236A-4	47
ZA7-4812A-4	37
ZA7-4818A-4	38
ZA7-4824A-4	39
ZA7-4836A-4	49

Extra Shelf Levels	
Cat. No.	Wt.
ZAES-3612	3.4
ZAES-3618	3.4
ZAES-3624	3.4
ZAES-3636	6.8
ZAES-4212	4.0
ZAES-4218	4.0
ZAES-4224	4.0
ZAES-4236	7.4
ZAES-4812	4.6
ZAES-4818	4.6
ZAES-4824	4.6
ZAES-4836	8.0

Load capacity in pounds per shelf level. Total unit capacity, using four uprights, not to exceed 8000 lbs., based on 24" centers or less.

Starter units use four EUR uprights and 6 DRS end supports; adder units use two ZTP uprights and three DRS end supporters. Shelves are supported, on front and rear only, by low profile shelf supports (DRS-ww14). 36" deep shelves are supported on all four sides.

Request Quote